

Emerge ANSI • CE • CSA



RUBBER
NOSE PIECE



READER
OPTIONS

Soft nose piece provides comfort for extended use // Rx options accommodate an Rx lens to the maximum of +3 to -3 diopters // Available with a full reader +1.5 or +2.0 lens or as a prescription lens // Dual lens design with full eye protection // Plano, prescription, and full reader lens adaptable // Custom imprinting available

Black Frame | 2 Variations

- SB7950SF ●● 5.0 IR Filter
- SB7960SF ●● 3.0 IR Filter

Black Frame | 3 Variations

- SB7910DRX ●●● Clear
- SB7910D15 ●● Clear +1.5 Mag
- SB7910D20 ●● Clear +2.0 Mag

Translucent Gray Frame | 3 Variations

- SG7910DRX ●●● Clear
- SG7910D15 ●● Clear +1.5 Mag
- SG7910D20 ●● Clear +2.0 Mag



i Frame must be presented to your optometrist in order to be fitted with prescription lenses.

| Part No. | Lens Marking | Frame Marking | General Specifications | Materials |
|---|--------------|---|---------------------------------------|-------------------------------------|
| SB7950SF | P + W5 | P Z87 + / P c SEI Z94.3 | Weight: 30 gm | Lens: polycarbonate |
| SB7960SF | P + W3 | P Z87 + / P c SEI Z94.3 | PD: 68 mm | Frame: nylon |
| SB7910DRX | P + U6 | P Z87 -2+ / P c SEI Z94.3 | Bridge: 13 mm | Temples: polycarbonate |
| SB7910D15 | P + U6 | +1.50 P Z87 -2+ | Lens base: 6 curve | Hinge: polycarbonate |
| SB7910D20 | P + U6 | +2.00 P Z87 -2+ | Lens size diagonal: 58 mm | Screw: stainless steel |
| SG7910DRX | P + U6 | P Z87 -2+ / P c SEI Z94.3 | Lens size vertical: 42.5 mm | Nosepiece: polyvinyl chloride (PVC) |
| SG7910D15 | P + U6 | +1.50 P Z87 -2+ | Lens thickness: 2.2 mm | |
| SG7910D20 | P + U6 | +2.00 P Z87 -2+ | Overall length (lens - tip): 163 mm | |
| | | | Overall width (hinge - hinge): 135 mm | |
| | | | Closest point between lens: 12.7 mm | |
| Lens Marking Symbols | | Frame Marking Symbols | | |
| P: Manufacturer's mark | | +1.50: magnification of +1.5 | | |
| +: High impact | | +2.00: magnification of +2.0 | | |
| W: Welding filter | | P: Manufacturer's mark | | |
| UV Filter Transmittance | | Z87: ANSI standard for eye and face protection devices | | |
| UG: .01% max effective far UV • .1% max near UV | | - 2: Rx | | |
| | | +: High impact | | |
| | | c SEI Z94.3: CAN/CSA standard for eye and face protection devices | | |