

GENERAL PURPOSE SYNTHETIC













GL105HT

Synthetic Leather | Nylon | Polycotton





C€ CK

ANSI/ISEA 105 – CUT A1 | ABRASION 3 | PUNCTURE 2 EN388 – ABRASION 3 | CUT 1 | TEAR 2 | PUNCTURE 1 | CUT TDM-100 X

Synthetic leather palm for enhanced grip // Mesh stretch fabric back for comfort and breathability // Hook and loop with TPR wrist closure // Pull tab for easy on/off access // Hi-vis silicone printing on back for enhanced visibility // Hi-vis silicone printing on fingers holds shape and creates awareness of finger location at all times // Touchscreen capability // Terry cloth thumb to wipe away sweat and grime // Hangtag for retail display

Suggested Applications

Auto Repair // Construction // Demolition //
Fabricating // General Maintenance // Landscaping
// Manufacturing // Packing // Warehousing

Glove Breakdown

| Palm: Polyurethane + Nylon |
|--|
| Back: Nylon + Elastane |
| Thumb: Cotton + Polyester |
| Closure: Thermoplastic Rubber + Nylon+ Polyester |

⚠ WARNING: Cancer and Reproductive Harm −P65Warnings.ca.gov
This product contains components that may be a potential risk to
allergic reactions (latex in the wrist cuff). Do not use in the event
of hypersensitivity signs or a known allergy to latex.

Packaging

| | | Inner Polybag | Outer Polybag | Case |
|--|-------------------|-------------------|---------------|---------|
| | GL105HT | 1 Pair on Hangtag | 6 | 60 Pair |
| | Made in Indonesia | | | |

Product markings may vary // Updated as of 10.25



Glove Sizing

| Small Medium Large 7 8 9 | X-Large | 2X-Large | 3X-Large |
|--------------------------|---------|----------|----------|
| | 10 | 11 | 12 |

All sizes comply with EN ISO 21420 for comfort, fit and dexterity. Only wear the correct size for your hand. Gloves that are too loose or too tight will restrict movement and will not provide the optimal level of protection.



