

IMPACT UTILITY SYNTHETIC











GL204HT

Synthetic Leather | Nylon | Polycotton | TPR





C€ RK

ANSI/ISEA 105 – ABRASION 4 | PUNCTURE 5 EN388 – ABRASION 3 | CUT 1 | TEAR 2 | PUNCTURE 1 | CUT TDM-100 X | IMPACT P

Synthetic leather palm for emhanced grip // PVC palm patches for grip // Mesh stretch fabric back for comfort and breathability // Hook and loop with TPR wrist closure // Pull tab for easy on/off access // Impact protection on fingers and knuckles // Terry cloth thumb to wipe away sweat and grime // Hangtag for retail display

Suggested Applications

Auto Repair // Construction // Demolition //
Fabricating // General Maintenance // Landscaping
// Manufacturing // Packing // Warehousing

Glove Breakdown

Impact: Thermoplastic Rubber		
Palm: Polyurethane + Nylon		
Palm Patch: Polyvinyl Chloride + Polyethylene + Polyester		
Back: Nylon + Spandex		
Thumb: Cotton + Polyester		
Closure: Thermoplastic Rubber + Nylon+ Polyester		

⚠ WARNING: Cancer and Reproductive Harm −P65Warnings.ca.gov This product contains components that may be a potential risk to allergic reactions (latex in the wrist cuff). Do not use in the event of hypersensitivity signs or a known allergy to latex.

Packaging

		Inner Polybag	Outer Polybag	Case
	GL204HT	1 Pair on Hangtag	6	60 Pair
	Made in Indonesia			

Product markings may vary // Updated as of 11.23



Glove Sizing

Small Medium Large 7 8 9	X-Large	2X-Large	3X-Large
	10	11	12

All sizes comply with EN ISO 21420 for comfort, fit and dexterity. Only wear the correct size for your hand. Gloves that are too loose or too tight will restrict movement and will not provide the optimal level of protection.



