



# INSULATED LATEX DIPPED



Latex



Abrasion



Cut



Hi-Vis



Insulated



Puncture



Tear



Water-Resistant

# GL505

Polyester + Acrylic | Latex | Sandy + Smooth

ANSI/ISEA 105



EN388



EN511



ANSI/ISEA 105 – CUT A2 | ABRASION 4 | PUNCTURE 2  
 EN388 – ABRASION 3 | CUT 2 | TEAR 3 | PUNCTURE 1 | CUT TDM-100 X  
 EN511 –CONTACT COLD 2

Double dipped // Sandy latex coating on the palm and fingers provides an effective grip in dry and oily situations // Smooth latex full dipped coating keeps hands dry in wet applications // 13 gauge outer polyester cut-resistant liner provides comfort and durability // 10 gauge inner acrylic liner delivers insulation and moisture resistance // High-visibility for easy recognition // Contact cold protection down to as low as -22°F/-30°C // Knit cuff creates a snug fit to keep out debris

## Suggested Applications

Commercial Fishing // Construction // Food Processing // Outdoor Activities // Refrigerated Area // Utilities

## Glove Breakdown

Type: Insulated Dipped Glove
Material: Sandy + Smooth Latex
Outer Liner: 13 Gauge Polyester
Inner Liner: 10 Gauge Acrylic
Cuff: Polyester + Acrylic + Latex Elastic

**⚠ WARNING: Cancer and Reproductive Harm –P65Warnings.ca.gov**  
 This product contains components that may be a potential risk to allergic reactions (latex in the wrist cuff). Do not use in the event of hypersensitivity signs or a known allergy to latex.

Product markings may vary // Updated as of 08.23



## Packaging

	Outer Polybag	Case	Made in China
GL505	12 Pair	120 Pair	

## Glove Sizing

GL505 S – 2XL

Small 7	Medium 8	Large 9	X-Large 10	2X-Large 11
------------	-------------	------------	---------------	----------------

All sizes comply with EN ISO 21420 for comfort, fit and dexterity. Only wear the correct size for your hand. Gloves that are too loose or too tight will restrict movement and will not provide the optimal level of protection.