











Dual-Pane

Droplet and Splash Test

32432 F2879-19

V2G-PLUS®

ANSI • CE/UKCA • CSA • Ballistic •

Wide adjustable elastic strap with quick-release system creates secure fit // TPU frame provides excellent resistance to cold and heat // Thermo lens system provides excellent resistance to fog caused by temperature differences in your environment // Special indirect ventilation system located at the top and bottom of frame allows airflow and heat release // Multi-functional goggle with 180° vision protects against chemical splash, sun glare, dust, flying particles, and wind // Outer polycarbonate lens protects against the environment while an inner acetate lens prevents fogging // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards // Passes D3: Droplet and Splash Test // Meets ASTM F2879-19 Standard Specification for Eye Protective Devices for Airsoft Sports when the strap is worn // Dielectric // Custom imprinting available















Part No.	Lens Marking	Temple Marking
GB6410SDT	P Z87 + U6 L1.3 X	P Z87 + D3 / P c SEI Z94.3
GB6420SDT	P Z87 + U6 L2.5 X	P Z87 + D3 / P c SEI Z94.3

Materials

Lens: Polycarbonate + Acetate
Nosepiece: Thermoplastic Polyurethane
Foam: Polyurethane Foam
Frame: Thermoplastic Polyurethane
Strap: Polyester
Strap Holder: Polycarbonate

Lens Marking Symbols

P: Manufacturer's mark
Z87: ANSI standard for eye and face protection devices
+: High impact
X: Tested Anti-fog
IIV Filter Transmittance

U6: .01% max effective far UV • .1% max near UV

Visible Light Filters

L1.3: 85% Max. Visible Light L2.5: 29% max visible light

Temple Marking Symbols

P:	Manufacturer's mark	
	7: ANSI standard for eye and face otection devices	9

+: High impact

D3: Droplet & Splash Test

c SEI Z94.3: CAN/CSA standard for eye and face protection devices

Measurements

Weight: 80 gm PD: 68 mm

Bridge: 33.5 mm

Lens base: 5.5 curve

Lens size diagonal: 139 mm

Lens size vertical: 63.5 mm

Lens thickness: 2.1 mm

Overall length (lens - tip):

87 mm

Overall width (hinge - hinge):

136 mm

Strap Length: 500 mm

Closest point between lens: 20.3 mm